

[illegible]



- High optical quality
- Shock and impact resistant
- Minimal distortion
- Eye catching red/white surround
- 5 year guarantee against manufacturing faults

View-Ultra 1+ 2



View-Ultra 3



VIEW-ULTRA Sekurit Glass Mirrors

The **VIEW-ULTRA** Sekurit convex mirror provides exceptional reflective qualities due to the uniformly even convex mirror surface. It is highly suitable for use where high demands are made on the optical qualities of the mirror image.

The Sekurit glass mirror is housed in a weather resistant white frame with red reflective sections, making the mirror impact and shock resistant and provides protection against injury (should the mirror break it shatters into small non-sharp beads).

The **VIEW-ULTRA** is particularly suitable for areas that demand high optical qualities such as traffic regulation, production processes, warehouses, manufacturing sites, marshalling yards, logistics depots etc.

The mirror is supplied complete with hot dip galvanised bracket to suit 76 mm Ø post (108 mm Ø bracket available on request).

This mirror can also be supplied with heating elements (see below).

We also supply mirror posts – see page 17 for details.



VIEW-ULTRA	Mirror size (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
1	400 x 600	6	10	240.15.611	1 / 2 days
2	600 x 800	12	15	240.19.897	
3	800 x 1,000	18	25	240.17.387	
With heater 1H/15W	400 x 600	6	11	240.15.372	5 / 10 days
With heater 2H/30W	600 x 800	12	17	240.16.854	
With heater 3H/45W	800 x 1,000	18	28	240.17.948	
Water resistant thermostat			1	245.12.536	5 / 10 days
Post clip adapter			4	245.11.059	
Bracket for 108mm Ø post, VIEW-ULTRA 1 + 2			5	245.17.933	
Bracket for 108mm Ø post, VIEW-ULTRA 3			5	245.11.151	

Traffic Mirrors

Mirrors



- High quality stainless steel
- Virtually indestructible
- Easy to install
- Resistant to chemicals
- Eye catching red/white surround
- 2 year guarantee against manufacturing faults

Note:
The **DURABEL** is manufactured entirely of Stainless Steel: mirror surface, frame, mounting bracket.

DURABEL Stainless Steel Mirrors

The **DURABEL** Stainless Steel mirror is a robust and economical traffic observation mirror, suitable for both Indoor and Outdoor applications. The highly polished mirror surface ensures that a clear image quality is maintained even under conditions of extreme heat, alkaline and chemical environments.

The mirror is supplied complete with bracket to suit 76 mm Ø post.

This mirror is highly suitable for use in regulating traffic, manufacturing processes, warehouses, logistics depots, blind corners, bottlenecks, crossings etc.



We also supply mirror posts – see page 17 for details.



DURABEL	Mirror size (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
1	400 x 600	4	10	242.12.680	1 / 2 days
2	600 x 800	10	15	242.11.505	
3	800 x 1,000	15	22	242.10.092	

DURABEL LITE Stainless Steel Mirrors



The **DURABEL LITE** is an inexpensive alternative to pure stainless steel convex mirrors. A highly polished distortion free stainless steel mirror face is mounted in a weather resistant ABS plastic frame which combines the cost advantages of plastic with the durability of stainless steel. This mirror is particularly suitable for installation in areas of high air pollution and vandalism. The **DURABEL LITE** offers a long life without loss of image quality making the mirror a very economic purchase.

The universal clamp supplied can be used with posts of 60–90mm Ø with no requirement for adapters.

The **DURABEL LITE** is highly suitable for use in areas of traffic regulation, blind spots, production processes, warehouses, manufacturing sites, marshalling yards, logistics depots etc.

We also supply mirror posts – see page 17 for details.

NEW:
Dimension 800 x 1,000 mm

- Indoor and Outdoor use
- Exceptional image quality
- Mirror surface of Stainless Steel
- Virtually indestructible
- Inexpensive
- Eye catching red/white surround
- 5 year guarantee against manufacturing faults



DURABEL LITE IceFree Stainless Steel Mirror



The **DURABEL LITE IceFree** Stainless Steel mirror is a low cost alternative to our DURABEL IceFree mirror, but retains the tried and tested thermo-gel system which controls the surface temperature of the mirror based on the actual ambient temperature. This system prevents the formation of condense and ice on the mirror surface down to –20° C.

The mirror surface and universal mounting are manufactured in stainless steel with the housing manufactured in weather resistant white ABS complete with reflective red stripes.

This mirror is particularly suited for use in locations which experience extreme weather conditions and/or which do not have a suitable electric supply.

The universal clamp supplied can be used with posts of 60–90mm Ø with no requirement for adapters.

We also supply mirror posts (76 mm Ø) – see page 17 for details.

- High quality stainless steel mirror surface
- Effective control down to –20° C
- No costly electric supply required
- Effectively reduces condensation and ice formation
- 5 year guarantee against manufacturing faults



DURABEL LITE	Mirror size (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
LITE 1	450 x 600	6	7.9	242.20.223	5 / 10 days
LITE 2	600 x 800	10	11.1	242.26.946	
LITE 3	800 x 1,000	15	12.9	242.20.654	
LITE 600	600 Ø	4	9.2	242.22.647	

DURABEL IceFree ECO	Mirror size (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
1	450 x 600	6	15	242.24.151	5 / 10 days
2	600 x 800	10	23.5	242.27.488	
3	800 x 1,000	15	34	242.25.771	
600	600 Ø	6	15	242.20.096	
800	800 Ø	10	23.5	242.28.986	

NEW!

Traffic Mirrors



- Effective in temperatures down to -20°C
- No power supply required.
- Easily installed
- Robust Stainless Steel
- Eye catching red/white surround
- 5 year guarantee against manufacturing faults



DURABEL IceFree Stainless Steel Mirrors




The unique **DURABEL IceFree** Stainless Steel mirror was developed to combat extreme weather conditions such as condensation and ice which affect the optical qualities of standard mirrors. The standard **DURABEL** Stainless Steel mirror is backed by a Thermo-active gel which regulates the temperature of the mirror surface, thus preventing the formation of condensation and ice.

The mirror back is formed in impact and UV resistant plastic material which protects the thermoactive layers.

The **DURABEL IceFree** has the added advantage over electrically heated mirrors in that it can be installed without having to provide power or in locations that do not have power available.

The universal clamp supplied can be used with posts of 60-90mm Ø with no requirement for adapters.

The **DURABEL IceFree** is highly suitable for use in areas that experience changeable adverse weather conditions, traffic regulation, railway stations, airports etc.



We also supply mirror posts – see page 17 for details.

DURABEL IceFree	Mirror size (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
2	600 x 800	10	25	242.14.389	5 / 10 days
3	800 x 1,000	15	36	242.15.533	

VIEW-MINDER Acrylic Mirror



The **VIEW-MINDER** Traffic Mirror provides a winning combination of price, quality and safety that is hard to match. The mirror is suitable for Indoor and Outdoor applications, is light weight and possesses high optical qualities.

The **VIEW-MINDER** Traffic Mirror is manufactured from clear shock resistant acrylic which protects the metallised mirror coating, and is set into a UV resistant, corrosion proof and weather resistant plastic frame which has eye catching red reflective panels on a white background.

The integrated bracket allows for fitting to 60 or 76 mm Ø posts.

This mirror is highly suitable for use in traffic regulation, manufacturing processes, warehouses, logistics depots, blind corners, bottlenecks, crossings etc.

We also supply mirror posts – see page 17 for details.

- Indoor and Outdoor use
- Acrylic mirror
- High optical quality
- Easy to install
- Lightweight
- UV and weather resistant
- 2 year guarantee against manufacturing faults



VIEW-MINDER	Mirror size (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
1	400 x 600	5	5	243.10.847	1 / 2 days
2	600 x 800	10	7	243.12.742	
3	800 x 1,000	15	8	243.10.178	
4	1,000 x 1,200	22	11	243.25.569	5 / 10 days
600	600 Ø	4	5	243.10.158	1 / 2 days
800	800 Ø	8	7	243.12.563	

VIEW-MINDER-ECO® Acrylic Mirror




The **VIEW-MINDER-ECO** is a high quality, shock-proof mirror manufactured in clear Acrylic which protects the metallised mirror coating from scratches. Suitable for Indoor and Outdoor applications it provides excellent image reproduction due to its evenly curved surface. Red reflective panels ensure the mirror is visible to vehicles and pedestrians day and night.

Thanks to the frameless design the **VIEW-MINDER-ECO** offers a cost-effective solution to traffic management.

The **VIEW-MINDER-ECO** is delivered ready for installation and can be easily positioned by one person due to its light-weight construction. The integrated bracket allows for fitting to 60 or 76 mm Ø posts.

- Acrylic Mirror surface
- Light weight
- Easy to install
- Cost effective



VIEW-MINDER-ECO	Mirror size (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
1	400 x 600	5	4.5	243.25.564	5 / 10 days
2	600 x 800	10	6.0	243.21.307	
3	800 x 1,000	15	6.5	243.26.714	



- Indoor and Outdoor use
- Acrylic mirror
- High optical quality
- Easy to install
- Lightweight
- Corrosion free
- 2 year guarantee against manufacturing faults

VIEW-MINDER Industrial Duty Mirrors

The **VIEW-MINDER** Industrial Duty Mirror is designed to improve safety, security and productivity in the workplace. It can be positioned Indoors and Outdoors in sheltered locations and features a uniform curvature which allows for excellent image quality.

The **VIEW-MINDER** Industrial Duty Mirror is manufactured from clear shock resistant Acrylic which protects the metallised mirror coating, and is set into a plastic frame with a yellow and black surround which conforms to DIN 4844.

The mirror frame incorporates a bracket suitable for mounting onto a 60 and a 76 mm Ø post. An optional wall bracket for mounting on flat surfaces allows the mirror to be mounted in portrait mode or landscape mode.

This mirror is highly suitable for use in forklift traffic areas, manufacturing processes, warehouses, logistics depots, blind corners, bottlenecks, crossings etc.

We also supply mirror posts – see page 17 for details.



VIEW-MINDER Industrial Duty Mirrors	Mirror size (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
G 1	400 x 600	5	4	253.15.681	1 / 2 days
G 2	600 x 800	10	6	253.16.706	
G 3	800 x 1,000	15	7	253.18.463	
G 600	600 Ø	4	4	253.17.516	
G 800	800 Ø	8	6	253.14.690	
Wall-mounting bracket (H x D x W) 190 x 270 x 76 mm			2	253.19.463	

SPION Observation Mirror



The **SPION** observation mirror for Indoor and Outdoor use is ideal for monitoring traffic routes, machinery, blind spots etc.

The mirror is manufactured in shock resistant acrylic which protects the metallised mirror coating from scratching. It features a very light construction combined with excellent image quality and wide angle viewing.

The circular version of the **SPION** is supplied complete with a 25c m 'J' bracket for easy installation on flat surfaces (a post fixing kit is available – see table below), whilst the rectangular mirror is supplied complete with a post fixing bracket (60-76 mm Ø posts).

We also supply mirror posts – see page 17 for details.



- Indoor & Outdoor use
- Excellent image quality
- Easy & quick installation
- Light construction
- 2 year guarantee against manufacturing faults



Description	Diameter of Mirror (mm)	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
Mirror with 'J' bracket (25 cm)	300 Ø	2	2	247.17.989	1 / 2 days
	400 Ø	3	3	247.13.962	
	500 Ø	5	4	247.14.455	
	600 Ø	7	5	247.19.332	
	700 Ø	9	6	247.18.522	
	800 Ø	11	7	247.18.504	
Extended bracket 55 cm			1	255.10.700	
Post fixing Kit				247.Pclip	
for fixing to 60 to 76 mm Ø Posts	400 x 600	5	5	247.18.638	
	600 x 800	8	7	247.19.825	

MIRROR-MAX Acrylic Mirrors



The **MIRROR-MAX** is a compact 180° mirror offering wide angle views, enabling it to replace two conventional traffic mirrors at 'T' junctions, making the **MIRROR-MAX** a very cost effective solution.

The **MIRROR-MAX** is manufactured in shock resistant acrylic material which protects the metallised mirror coating from scratching. It possesses excellent optical qualities and is of very light construction.

The **MIRROR-MAX** is particularly suitable for traffic junctions, private and public, manufacturing processes, confined spaces, gatehouses etc.

The mirror is supplied complete with hot dip galvanised bracket to suit a 60 and a 76 mm Ø post, and can be mounted vertically with a Wall-mounting bracket.

We also supply mirror posts – see page 17 for details.

- Indoor and Outdoor use
- High optical quality
- UV and weather resistant
- Shock and impact resistant
- Easily installed
- Lightweight construction
- Indoor and Outdoor use
- 2 year guarantee against manufacturing faults



Mirror size W x H x D (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
750 x 400 x 160	5	5	246.14.036	1 / 2 days
850 x 420 x 190	7	7	246.17.210	
Wall-mounting bracket (H x D x W) 190 x 270 x 76 mm		2	253.19.463	

Observation Mirrors

DETECTIVE-X Observation Mirror



The **DETECTIVE-X** observation mirror for Indoor use is ideal for where people circulate, affording observation where medium to large fields of vision are required.

The mirror is manufactured in shock resistant acrylic which protects the metallised mirror coating from scratching. It features a very light construction which eliminates risks associated with glass mirrors. This mirror is ideal for use in retail outlets, warehouses, public buildings and manufacturing sites etc.

The **DETECTIVE-X** is supplied complete with 25cm 'J' bracket for easy and fast installation. A 55cm bracket is available as an option.

We also supply mirror posts – see page 17 for details.

- Indoor use only
- Excellent image quality
- Easy & quick installation
- Light construction
- Helps reduce accidents & theft
- 2 year guarantee against manufacturing faults



Diameter of Mirror (mm)	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
300	2	1.7	251.13.487	1 / 2 days
400	3	2	251.17.667	
500	5	2.5	251.18.945	
600	7	3	251.15.534	
700	9	5	251.16.210	
800	11	6	251.13.505	
Extended arm fitment 55 cm		1	255.10.700	1 / 2 days
Post Fixing Kit			247.Pclip	

DETECTIVE Observation Mirror – Magnetic



A circular convex mirror equipped with a magnetic foot, ideal for situations that require temporary or semi-permanent applications either Indoors or sheltered Outdoor situations.

The mirror is manufactured in shock resistant acrylic which protects the metallised mirror coating from scratching. It is of light construction and possesses excellent image quality.

The **DETECTIVE** Convex mirror is supplied complete with a magnetic 200mm flexible arm for easy and fast installation.

- Indoor and sheltered Outdoor use
- Excellent image quality
- Easy & quick installation
- Light construction
- Easily fixed to flat steel surfaces
- 2 year guarantee against manufacturing faults



Diameter of Mirror (mm)	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
300	3	2.5	252.25.675	1 / 2 days
450	5	3	252.29.230	
600	7	4	252.28.369	5 / 10 days

DETECTIVE Acrylic Convex Mirror



A triangular mirror ideal for Indoor use where observation distances are short, ideal for use in retail stores, supermarket checkouts, production lines etc.

The mirror is manufactured in shock resistant acrylic which protects the metallised mirror coating from scratching. It is of light construction and possesses excellent image quality. It is supplied complete with a flexible arm and 'G' bracket.

- Indoor use only
- Excellent image quality
- Easy & quick installation
- Light construction
- Easily installed on flat surfaces & posts
- 2 year guarantee against manufacturing faults



Mirror size (mm) Ø	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
330	2	2	252.10.021	1 / 2 days

MIRROR-MASTER Acrylic Fork Lift Truck Mirror



The rear view mirror that is an essential aid to fork lift truck drivers everywhere and which increases spatial awareness. The **MIRROR-MASTER** reduces driver fatigue, thus creating a safer working environment.

The mirror is manufactured in a smart black surround and features shock resistant acrylic which protects the metallised mirror coating from scratching. It is of light construction and possesses excellent image quality. It is supplied complete with all necessary fixings to attach to the safety cage.

Ball and socket joint for quick and easy adjustment.

- Indoor and Outdoor use
- Excellent image quality
- Easy & quick installation
- Light construction
- Wide angle views
- 2 year guarantee against manufacturing faults



Mirror size (mm) W x H x D	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
270 x 135 x 75	1	0.75	254.16.897	5 / 10 days

Observation Mirrors

Mirrors




- Indoor use only
- Excellent image quality
- Light construction
- 360° viewing angle
- 2 year guarantee against manufacturing faults

PANORAMIC 360
Acrylic Mirrors

The **PANORAMIC 360** Mirror range is an indispensable safety aid to areas that experience high traffic flow. The 360° field of vision contributes to safety and improves traffic flow. This mirror can be screwed directly to flat surfaces or can be suspended using the optional chain set.

The mirror is manufactured in shock resistant acrylic which protects the metallised mirror coating from scratching. It is of light construction and possesses excellent image quality.



Mirror Ø (mm)	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
600 x 250	3	5.5	250.15.138	1 / 2 days
800 x 300	4	7	250.17.220	
900 x 340	5	9	250.10.202	
1,000 x 380	6	11	250.18.256	
1,250 x 420	8	32	250.13.084	
Chain set (Chain length 4m), for suspended fitting		0.7	255.10.618	


PANORAMIC 180 Acrylic Mirrors



The **PANORAMIC 180** convex mirror provides safety and supervisory capabilities in areas such as narrow passages, corridors and blind spots, making this ideal for use in hospitals, hotels, public buildings, retail outlets etc.


The mirror is manufactured in shock resistant acrylic which protects the metallised mirror coating from scratching. It is of light construction and possesses excellent image quality.

- Indoor use only
- Excellent image quality
- Light construction
- 180° viewing angle
- 2 year guarantee against manufacturing faults



Mirror size (mm) W x H x D	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
600 x 320 x 240	5	3	256.17.911	1 / 2 days
800 x 410 x 330	6	3.5	256.14.205	
900 x 450 x 250	7	4	256.16.959	
1,000 x 530 x 400	8	4.5	256.17.882	

PANORAMIC-180WA Observation Mirror with Frame



The **DETECTIVE** range of wall mounted convex mirrors are designed for use where space is at a premium. Ideal for applications in workshops, offices, retail shops, reception areas etc.

The mirror is manufactured in shock resistant acrylic which protects the metallised mirror coating from scratching. It is of light construction and possesses excellent image quality and is available in rectangular or circular form.

- Indoor use only
- Excellent image quality
- Light construction
- Easily fixed to wall
- 2 year guarantee against manufacturing faults



Mirror size (mm)	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
600 x 300 x 165	5	4	256.28.313	5 / 10 days

Observation Mirrors


PANORAMIC 90 Acrylic Mirrors



The **PANORAMIC 90** convex mirror provides safety and supervisory capabilities in areas such as narrow passages, corridors and blind spots, making this ideal for use in hospitals, hotels, public buildings, retail outlets etc. Suitable for corner mounting.

The mirror is manufactured in shock resistant acrylic which protects the metallised mirror coating from scratching. It is of light construction and possesses excellent image quality.

- Indoor use only
- Excellent image quality
- Light construction
- 90° viewing angle
- 2 year guarantee against manufacturing faults




DETECTIVE Wall Mounted Convex Mirrors



The **DETECTIVE** range of wall mounted convex mirrors are designed for use where space is at a premium. Ideal for applications in workshops, offices, retail shops, reception areas etc.

The mirror is manufactured in shock resistant acrylic which protects the metallised mirror coating from scratching. It is of light construction and possesses excellent image quality and is available in rectangular or circular form.

- Indoor use only
- Excellent image quality
- Light construction
- Easily fixed to wall
- 2 year guarantee against manufacturing faults



Mirror size (mm) W x H x D	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
300 x 300 x 240	3	2	257.17.652	1 / 2 days
400 x 400 x 330	4	2.5	257.17.048	
420 x 420 x 360	5	3	257.13.342	
490 x 490 x 400	6	3.5	257.16.835	

Mirror size (mm) W x H x D	Max. obs. dist. from mirror (m)	Delivery weight kg/ea.	Reference	Typical despatch time (working days)
360 x 260 x 75	3	1	252.20.171	1 / 2 days
520 x 320 x 85	5	2	252.20.458	
450 Ø x 100	4	1.5	252.20.842	5 / 10 days
600 Ø x 130	6	2	252.26.285	
800 Ø x 180	9	3	252.20.017	

ANTI-VANDAL Stainless Steel Mirror



A circular convex mirror manufactured in high quality Stainless Steel providing an excellent image, ideal for areas subject to vandalism in both Indoor and Outdoor situations. Easily installed using the Clutch Head security screws supplied.

Typical application areas include underground railways, train stations, underpasses, prisons, psychiatric institutions and many others.

- Indoor and Outdoor use
- Excellent image quality
- Anti-vandal
- Easy & quick installation
- Light construction
- 2 year guarantee against manufacturing faults



Mirror size Ø x D (mm)	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
500 x 80	6	3	252.21.125	5 / 10 days
Clutch-head screws 10 x 38mm (Supplied)		0.2	245.27.882	

INSTITUTIONAL Wall Mounted Stainless Steel Security Mirror



The **INSTITUTIONAL** mirror is a high quality anti-vandal mirror manufactured in Stainless Steel which provides a brilliant clear image. Essential in applications with a high risk of vandalism, it provides a high level of enhanced safety and security of staff, inmates and patients.

This mirror is ideal for Indoor applications in prisons, courts, police and military stations, hospitals, mental institutions.

The mirror is secured by means of a coated steel frame, which has countersunk screw holes which accommodate clutch head security screws (7 per mirror provided), ensuring the mirror assembly cannot be tampered with.

- For Indoor use
- Manufactured in Stainless Steel
- Anti-vandalism
- Ideal for Security areas
- Brilliant clear image



Mirror size (mm) W x H	Max. obs. dist. from mirror (m)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
250 x 250	4	3.5	258.25.964	5 / 10 days
500 x 250	5	5.5	258.27.080	
Clutch-head screws 10 x 38mm (Supplied)		0.2	245.27.882	

Inspection Mirrors

VISION Inspection Mirrors – With Castors



The **VISION** Inspection Mirror is essential for inspecting the underside of all types of vehicles, and other situations where security is a priority. Easy to use and manoeuvre due to mirror being equipped with four roller castors and with a two part extending aluminium handle (100 to 200 cm).

This mirror is ideal for under vehicle inspections at ports, airports, military bases and other areas where security is an important factor.

The **VISION** mirror is manufactured from clear shock resistant acrylic which protects the metallised mirror coating. It is ideal for Indoor and Outdoor use and a handy storage bag is included.

Option: Also available is a battery powered LED lamp with an adjustable plate which fits to the mirror and directly illuminates the area being inspected (3 x AAA Batteries supplied.)

- Indoor and Outdoor use
- Acrylic mirror
- Wide field of view
- Easy to use
- Brilliant clear image



Mirror size Ø (mm)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
450	4.5	248.17.593	1 / 2 days
LED Inspection Lamp	0.1	248.14.031	

VISION Inspection Mirrors – Hand held



The **VISION** Inspection Mirror is ideal for inspecting hard to reach areas such as blind spots in industrial machinery etc. The mirror is supplied with a 2 part extending aluminium pole (100 to 200 cm) to enable extended viewing. For conditions of poor light an LED lamp is available as an optional accessory.

This mirror is ideal for internal vehicle inspections etc. at ports, airports, military bases and other locations etc.

The **VISION** mirror is manufactured from clear shock resistant acrylic which protects the metallised mirror coating. It is ideal for Indoor and Outdoor use and a handy storage bag is included.

Option: Also available is a battery powered LED lamp with an adjustable plate which fits to the mirror and directly illuminates the area being inspected (3 x AAA Batteries supplied.)

- Indoor and Outdoor use
- Acrylic mirror
- Wide field of view
- Easy to use
- Brilliant clear image



Mirror size Ø (mm)	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
230	2	248.14.221	1 / 2 days
LED Inspection Lamp	0.1	248.14.031	

Posts



For the permanent mounting of mirrors.

Post 76 mm Ø


2.5 mm Wall thickness.

Hot Dip Galvanised.

With plastic cap.

Root fix into concrete (with ground anchor supplied).


Wall Arm



Wall bracket for mirrors on vertical surfaces, either landscape or portrait.
Hot Dip Galvanised.

Mounting plate: 160 x 140 x 10 mm.


Wall/Ceiling Post



For mounting mirrors on horizontal surfaces, such as walls, ceilings.
Hot Dip Galvanised.

Mounting plate: 160 x 140 x 10 mm.

Fork Top



To fix two mirrors onto one post, wall arm or wall post.
Hot Dip Galvanised.

Description	For mirror size	Size (mm)	Type of mounting	Delivery weight (kg/ea.)	Reference	Typical despatch time (working days)
Galvanised Post 76mm Ø	All	3,000	Root fix into concrete	15	310.13.098	1 / 2 days
		3,500		17	310.11.268	
		4,000		19	310.11.638	
Wall Arm	All	400 H x 500 B	Vertical surfaces	6.5	245.10.893	
Wall Post	Models 1, 2	800 H	Horizontal surfaces	6.5	245.10.251	
	Model 3	1,200 H		9	245.12.944	
Fork Top	Model 1	400 H x 650 B	To fix two mirrors onto one post, wall arm or wall post	8.5	245.11.264	
	Models 2, 3	400 H x 900 B		9.5	245.11.466	